FUSRL-TR-85 0004



# FRANK J. SEILER RESEARCH LABORATORY

AN EPR STUDY OF THE THERMAL DECOMPOSITION OF INT/HMB MIXTURES

JON T. SWANSON


SALVATORE R. BOSCO


CONNIE Y. KRUIT

RICHARD D. MURPHY

W. ROBERT CARPER

# AD-A161 816





August 1985

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

20030117020

PROJECT 2303

AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE

85 11 25 105

### FJSRL-TR-85-0004

This document was prepared by the Energetic Materials Division, Directorate of Chemical Sciences, Frank J. Seiler Research Laboratory, United States Air Force Academy, CO. The research was conducted under Project Work Unit number 2303-F3 05. Jon T. Swanson was the project scientist.

When U.S. Government drawings, specifications or other data are used for any purpose other than a definitely related government procurement operation, the government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the government may have formulated, furnished or in any way supplied the said drawings, specifications or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Inquiries concerning the technical content of this document should be addressed to the Frank J. Seiler Research Laboratory (AFSC), FJSRL/NC, USAF Academy, Colarado Springs, CO 80840. Phone AC 303 472 2655.

This report has been reviewed by the Commander and is releasable to the National Technical Information Service (NTIS). At NTIS it will be available to the general public, including foreign nations.

This technical report has been reviewed and is approved for publication.

CHESTER J. DYMEK, JH., Lt COI, USAF

Director, Chemical Sciences

Jon T. Sunnsen JON T. SWANSON, Capt, USAF

Project Scientist

-/ 11

KENNETH E. SIEGENTHALER Lt Col, USAF

Chief Scientist

Copies of this report should not be returned unless return is required by security considerations, contractural obligations, or notice on a specific document.

Printed in the United States of America. Qualified requestors may obtain additional copies from the Defense Documentation Center. All others should apply to:

National Technical Information Service 6285 Port Royal Road Springfield VA 22161

|          | and the second second second second |       |              |  |
|----------|-------------------------------------|-------|--------------|--|
| COLLON V | CLASSIFICA                          | STION | OF THIS PAGE |  |

| AA.  | 4 | " | 1 |         | 11 |
|------|---|---|---|---------|----|
| B.A. |   |   |   | Town Re | A. |

|  | REPORT DOCUM                         | ENTATION PAG   | Ε                  |                     |           |  |  |  |  |  |  |
|--|--------------------------------------|--|--------------------|---------------------|-----------|--|--|--|--|--|--|
| 18 REFORT SECURITY CLASSIFICATION Unclassified                                     |                                      | 16. RESTRICTIVE MARKINGS   |                    |                     |           |  |  |  |  |  |  |
| CO SECUR TY CLASSIFICATION AUTHORITY   |                                      | 3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution |                    |                     |           |  |  |  |  |  |  |
| 26 DECLASS FICATION DOWNGRADING SCHED  |                                      | unlimited.   |                    |                     |           |  |  |  |  |  |  |
| 4 PERKORMING ON ANIZATION REPORT NUM   | 8t A.S)                              | 5 MONITORING OF  | RGANIZATION B      | EPORT NUMBERIS      | )         |  |  |  |  |  |  |
| FJSRL-TR-85-000.4  |                                      |  |                    |                     |           |  |  |  |  |  |  |
| ba name of Performing Organization<br>Frank J. Seiler Rsch Lab                     | 66, OFFICE SYMBOL<br>(If applicable) | 7a. NAME OF MONITORING ORGANIZATION  |                    |                     |           |  |  |  |  |  |  |
|  | FJSRL/NC                             |  |                    |                     |           |  |  |  |  |  |  |
| 6c ADDRESS (City State and ATP Code) USAF Academy                                  |                                      | 76. ADDRESS (City,   | State and ZIP Co.  | de)                 |           |  |  |  |  |  |  |
| Colorado Springs CO 80840-6  | 528                                  |  |                    |                     |           |  |  |  |  |  |  |
| 8. NAME OF FUNDING SPONSORING OPGANIZATION AF Office of Scientific Research        | Bo OFFICE SYMBOL (If applicable)     | 9. PROCUREMENT   | INSTRUMENT ID      | ENTIFICATION NU     | MBER      |  |  |  |  |  |  |
|  | AFOSR                                | ļ  |                    |                     |           |  |  |  |  |  |  |
| Sc ADDRESS City State and ZiP Code:  |                                      | 10 SOURCE OF FUI   | 1                  |                     | T         |  |  |  |  |  |  |
| Bldg. 410<br>Bolling AFB DC 20332  |                                      | PROGRAM<br>ELEMENT NO  | PROJECT            | TASK<br>NO.         | WORK UNIT |  |  |  |  |  |  |
| 11 Title Include Security Claudification An EPR<br>Thermal Pecomposition of TNT/HM | Study of the                         | 6.1  | 2303               | F3                  | 05        |  |  |  |  |  |  |
| 12 PERSONAL AUTHORISE  | <u> D. ALXEUTUS</u>                  | <u> </u>   | 1                  | I                   | <u> </u>  |  |  |  |  |  |  |
| Jon T. Swinson, Salvatore R.   | Bosco Cónnie Y                       | . Kruit. Richa   | erd D. Murn        | hy W. Robert        | Carper    |  |  |  |  |  |  |
| 134 TYPE OF REPORT 136 TIME C  | overed<br>Nov 84tol Jul 8            | 14 DATE OF REPORT IYE, Mo., Days 15. PAGE COUNT                                  |                    |                     |           |  |  |  |  |  |  |
| 16 SUPPLEMENTARY NOTATION  | VOT DATE OF OF                       | 85 Aug   |                    | 17                  |           |  |  |  |  |  |  |
|  |                                      |  |                    |                     |           |  |  |  |  |  |  |
| 17 COSATI CODES  | 18 SUBJECT TERMS (C                  | ontinue on reverse if no   | ccessary and ident | fy by block number) |           |  |  |  |  |  |  |
| FIELD GROUP SUB-GP   | Energetic Mate                       |  |                    | ransfer Compl       |           |  |  |  |  |  |  |
| 07 03  <br>07 01   | TNT<br>EPR                           | Decomposition  |                    |                     |           |  |  |  |  |  |  |
| 19 ABSTRACT continue on recerse if necessary and                                   | sidentify by bluck number            | rı   |                    |                     |           |  |  |  |  |  |  |
|  | <u>ABSTI</u>                         | RACT   |                    |                     |           |  |  |  |  |  |  |
| When trinitrotoluene (TNT)   | is thermally de                      | ecomposed, an  | observable         | radical sign        | nal is    |  |  |  |  |  |  |
| detected after several minutes   | at 240° C. Add                       | dition of hexa   | umethvlbenz        | ene (HMR) has       | s heen    |  |  |  |  |  |  |
| found to greatly reduce the te   | mperature at whi                     | ich radicals m   | nav be obse        | rved (175 C         | OF        |  |  |  |  |  |  |
| lower) and produce a radical s   | ignal which seer                     | ms to be free  | of the pol         | vmeric speci        | 29        |  |  |  |  |  |  |
| observed in the latter stages  | of TNT decempos:                     | ition. Mixtur  | es of TNT          | and HMR (.05        | to .95    |  |  |  |  |  |  |
| mole fraction of TNT) were the   | rmally decompose                     | ed at 175 Ct   | o obtain a         | better              |           |  |  |  |  |  |  |
| identification of the radical  | species present                      | in the early   | stages of          | INT decompos        | ition.    |  |  |  |  |  |  |
| Radical signals are observed w<br>spectra are correlated with si                   | mulated enertes                      | n at least two   | species.           | The experime        | ental     |  |  |  |  |  |  |
| relative rates of reaction and   | the form of the                      | or radicals of kinetic prof  | ile ere de         | m ini and hel       | B. The    |  |  |  |  |  |  |
| fraction of TNT.   |                                      | armeere pror   | ite are de         | pendent on ti       | ie more   |  |  |  |  |  |  |
| 20 DISTRIBUTION AVAILABILITY OF ABSTRAC  | Ţ                                    | 21 ABSTRACT SECURITY CLASSIFICATION  |                    |                     |           |  |  |  |  |  |  |
| UNCLASSIFIED UNLIMITED XX SAME AS APT  | D OTIC USERS D                       | Unclassified   |                    |                     |           |  |  |  |  |  |  |
| 228 NAME OF RESPONSIBLE INDIVIDUAL   |                                      | 22b TELEPHONE NUMBER 22c OFFICE SYMBOL (Include 1 mg Code)                       |                    |                     |           |  |  |  |  |  |  |
| JON T. SWANSON, Capt, USAF   |                                      | (303) 472-2655 FJSRL/NC  |                    |                     |           |  |  |  |  |  |  |

### INSTRUCTIONS FOR PREPARATION OF REPORT DOCUMENTATION PAGE

### GENERAL INFORMATION

The accuracy and completeness of all information provided in the DD Form 1473, especially classification and distribution

limitation markings, are the responsibility of the authoring or monitoring DoD activity.

Because the data input on this form will be what others will retrieve from DTIC's bibliographic data base or may determine how the document can be accessed by future users, care should be taken to have the form completed by knowledgeable personnel. For better communication and to facilitate more complete and accurate input from the origination of the form to those processing the data, space has been provided for the name, telephone number and office symbol of the DoD person responsible for the input cited on the form. These are to be noted in Block 22.

All information on the DD Form 1473 should be typed.

Only information ap; earing on or in the report, or applying specifically to the report in hand should be reported. If there is any doubt, the block should be left blank.

Some of the information on the forms (e.g., title, abstract) will be machine-indexed. The terminology used should describe th content of the report or identify it as precisely as possible for future identification and retrieval.

SPECIAL NOTE: UNCLASSIFIED ABSTRACTS AND TITLES DESCRIBING CLASSIFIED DOCUMENTS MAY APPEAR SEPARATELY FROM THE DOCUMENTS IN AN UNCLASSIFIED CONTEXT, E.G., IN DTIC ANNOUNCEMENT BULLETINS AND BIBLIOGRAPHIES OR OR BY ACCESS IN AN UNCLASSIFIED MODE TO THE RDT/E ON-LINE SYSTEM. THIS MUST BE CONSIDERED IN THE PREPARATION AND MARKING OF UNCLASSIFIED ABSTRACTS AND TITLES.

The Defense Technical Information Center (DTIC) is ready to offer assistance to anyone who needs and requests it. Call Data Base Input Division (AUTOVON) 284-7044; Com 202-274-7044.

### SPECIFIC BLOCKS

### SECURITY CLASSIFICATION OF THE FORM

In accordance with DoD 5200.1-R. Information Security Program Regulation, Chapter V1 Section 2, paragraph 4-200, classification markings are to be stamped, printed, or written at the tops and bottom of the form in capital letters that are larger than those used in the text of the document. See ziso DoD 5220.22-M, Industrial Security Manual for Safeguarding Classified Information, Section II, paragraph 11a(2) This form should be nonclassified, if possible.

- Block 1.a Report Security Classification: Designate the highest security classification of the report. (See DoD 5200.00.1-R, Chapters, I, IV, VII, XI, Appendix A).
  - Block 1 b. Enter the restricted marking or warning notice of the report (e.g., CNWDI, RD, NATO).
- Block 2 a Security Classification Authority: Enter the commonly used markings in accordance with DoD 5200.1-R, Chapter IV, Section 4, paragraph 4-400 and 4-402. Indicate classification authority.
- Block 2.5 Declassification/Downgrading Schedule: Indicate specific date or event for declassification or the notation "Originating Agency Determination Required" or "OADR." Also insert (when applicable) downgrade to: \_\_\_\_\_\_\_ on ie g. "Downgrade to Confidential on 6 July 1983). (See also DoD 5220.22 M, Industrial Security Manual for Safeguarding Classified Information, Appendix II).
- NOTE. Entry must be made in Blocks 2.a and 2.b. except when the original report is unclassified and has never been upgraded.
- Block 3. Distribution Availability Statement of Report. Insert the statement as it appears on the report. If a limited distribution statement is used, the reason must be one of those given by DoD Directive 5200.20, Distribution Statements on Technical Documents The Distribution Statement should provide for the broadest distribution possible within limits of security and controlling office limitations
- Block 4. Performing Organization Report Number(s). Enter the unique alphanumeric report number(s) assigned by the organization originating or generating the report from its research and whose name appears in Block 6. These numbers should be in accordance with ANSI STD 239-23-74 "American National Standard Technical Report Number." If the Performing Organization is also the Monitoring Agency, enter the report number in Block 4.
- Block 5. Monitoring Organization Report Number(s): Enter the unique alphanumeric report number(s) assigned by the Monitoring Agency This should be a number assigned by a Department of Defense or other government agency and should be \*\*, accordance with ANSI STD 239-23-74 "American National Standard Technical Report Number". If the Monitoring Agency is the same as the Performing Organization enter the report number in Block 4 and leave Block 5 blank.
- Block 6 a. Performing Organization. For in-house reports, enter the name of the performing activity. For reports prepared under contract or grant, enter the contractor or the grantee who generated the report and identify the appropriate corporate division, school, laboratory, etc., of the author.
  - Block 6 b. Enter the office symbol of the performing organization.
  - Block 6 c. Enter the address of the performing organization, list city, state and ZIP code.
- Block 7 a Monitoring Organization Name: This is the agency responsible for administering or monitoring a project, contract, or grant. If the monitor is also the performing organization, leave Block 7.a blank. In the case of joint sponsorship, the monitoring organization is determined by advanced agreement. It can be either an office, a group, or a committee representing more than one activity, service or agency,

- Block 7.b. Enter the address of the monitoring organization. Include city, state and ZIP code.
- Block 8 a. Funding (Spensoring) Organization Name: Enter the full official name of the organization under whose immediate funding the document was generated, whether the work was one in-house or by contract. If the Monitoring Organization is the same as the Funding Organization, leave Block 8.a. blank.
  - Block 8 b. Enter the office symbol of the Funding (Sponsoring) Organization.
  - Block 8 c. Enter the address of the Funding (Sponsoring) Organization. Include city, state and ZIP code.
- Block 9 Procurement Instrument Identification Number (Contract, Grant, or other Funding Instrument): For a contractor or grantee report, enter the complete contract or grant number(s) under which the work was accomplished. Leave this block blank for in-house reports.
- Block 10. Source of Funding (Program Element, Project, Task Area, and Work Unit Number(s)): These four data elements relate to the DoD budget structure and provide program and/or administrative identification of the source of support for the work being carried on Enter the program element, project, task area, work unit number, or their equivalents that identify the principal source of furding for the work required. These codes may be obtained from the applicable DoD forms such as the DD Form 1498 (Research and Technology Work Unit Summary) or from the fund citation of the funding instrument. If this information is not available to the authoring activity, these blocks should be filled in by the responsible DoD Official designated in Block 22. If the report is funded from multiple sources, identify only the Program Element and the Project, Task Area and Work Unit Numbers of the principal contributor.
- Block 11. Title and Its Security Classification: Enter the title in Block 11 in initial capital letters exactly as it appears on the report. Titles on all classified reports, whether classified or unclassified, must be immediately followed by the security classification of the title enclosed in parentheses. A report with a classified title should be provided with an unclassified version if it is possible to do so without changing the meaning or obscuring the contents of the report. Use expecific, meaningful words that describe the content of the report so that when the title is machine-indexed, the words will contribute useful retrieval terms.

If the report is in a foreign language and the ritle is given in both English and a foreign language, list the foreign language title first, followed by the English title enclosed in parentheses. If part of the text is in English, list the English title first followed by the foreign language title enclosed in parentheses. If the title is given in more than one foreign language, use a title that reflects the language of the text. If both the text and titles are in a foreign language, the title should be translated, if possible, unless the title is also the name of a foreign periodical. Transliterations of often used foreign alphabets (see Appendix A of MIL-STD-847B) are available from DTIC in document AD-A080 800.

Block 12. Personal Author(s): Give the complete name(s) of the author(s) in this order: last name, first name and middle name. In addition, list the affiliation of the authors if it differs from that of the performing organization.

List all authors. If the document is a compilation of papers, it may be more useful to list the authors with the titles of their papers as a contents note in the abstract in Block 19. If appropriate, the names of editors and compilers may be entered in this block.

- Block 13 a. Type of Report Indicate whether the report is summary, final, annual, progress, interim, etc.
- Block 13 b Period of Time Covered. Enter the inclusive dates (year, month, day) of the period covered, such as the life of a contract in a final contractor report.
- Block 14 Date of Report Enter the year, month, and day, or the year and the month the report was issued as shown on the cover
- Block 15 Page Count Enter the total number of pages in the report that contain information, including cover, preface, table of contents, distribution lists, partial pages, etc. A chart in the body of the report is counted even if it is unnumbered.
- Block 16 Supplementary Notation: Enter useful information about the report in hand, such as: "Prepared in cooperation with ..." Translation at for by a ""Symposium". "If there are report numbers for the report which are not noted elsewhere on the form such as internal series numbers or participating organization report numbers) enter in this block.
- Block 17 COSATI Codes: This block provides the subject coverage of the report for announcement and distribution purposes. The categories are to be taken from the "COSATI Subject Category List" (DoD Modified), Oct 65, AD-624 000. A copy is available on request to any organization generating reports for the DoD. At least one entry is required as follows:

Field — to indicate subject coverage of report.

Group — to indicate greater subject specificity of information in the report.

Sub-Group — if specificity greater than that shown by Group is required, use further designation as the numbers after the period () in the Group breakdown. Use only the designation provided by AD-624 000.

Example: The subject "Solid Rocket Motors" is Field 21, Group 08, Subgroup 2 page 32, AD-624 000).

Block 18 Subject Terms These may be descriptors, keywords, posting terms, identifiers, open-ended terms, subject headings, acronyms, code words, or any words or phrases that identify the principal subjects covered in the report, that conform to standard terminology and exact enough to be used as subject index entries. Certain acronyms or "buzz words" may be used if they are recognized by specialists in the field and have a potential for becoming accepted terms. "Laser" and "Reverse Osmosis" were once such terms.

If possible, this set of torms should be selected so that the terms individually and as a group will remain UNCLASSIFIED without losing meaning. However, priority must be given to specifying proper subject terms rather than making the set of terms appear "UNCLASSIFIED". Each term on classified reports must be immediately followed by its security classification, enclosed in parentheses.

For reference on standard terminology the "DTIC Retrieval and Indexing Terminology" DRIT-1979, AD-A068 500, and the DoD "Thesaurus of Engineering and Scientific Terms (TEST) 1968, AD-672 000, may be useful.

Block 19. Abstract: The abstract should be a pithy, brief (preferably not to exceed 300 words) factual summary of the most significant information contained in the report. However, since the abstract may be machine-searched, all specific and meaningful words and phrases which express the subjection of the report should be included, even if the word limit is exceeded.

If possible the abstract of a classified report should be unclassified and consist of publicly releasable information (Unlimited); but in no instance should the report content description be sacrificed for the security classification.

NOTE: AN UNCLASSIFIED ABSTRACT DESCRIBING A CLASSIFIED DOCUMENT MAY APPEAR SEPARATELY FROM THE DOCUMENT IN AN UNCLASSIFIED CONTEXT, E.G., IN DTIC ANNOUNCEMENT OR BIBLIOGRAPHIC PRODUCTS OR BY ACCESS IN AN UNCLASSIFIED MODE TO THE DEFENSE RDT4E ON-LINE SYSTEM. THIS MUST BE CONSIDERED IN THE PREPARATION AND MARKING OF UNCLASSIFIED ABSTRACTS.

For further information on preparing abstracts, employing scientific symbols, verbalizing, etc., see paragraph 2.1(n) and 2.3(b) in MIL-STD-847B.

Block 20. Distribution/Availability of Abstract: This block must be completed for all reports. Check the applicable statement either "unclassified/unlimited" or "same as report," or if the report is available to DTIC registered users "Abstract available to DTIC users."


Block 21. Abstract Security Classification: To ensure proper saleguarding of information, this block must be completed for all reports to designate the classification level of the entire abstract. For CLASSIFIED abstracts, each paragraph must be preceded by its security classification code in parentheses.

Blocks 22.a.b.c. Give name, telephone number and office symbol respectively of DoD person responsible for the accuracy of the completion of this form,

U.T. GOVERNMENT PRINTING OFFICE: 1983 0 + 426-146

## TABLE OF CONTENTS

| Summary |             |      | • • |     | • | ٠ | • | • | • • | ٠ | ٠ | • | • | ٠ | • | ٠ | • | ٠ | • | • | • | • | • | ٠ | 11 |
|---------|-------------|------|-----|-----|---|---|---|---|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Preface |             |      |     |     |   |   |   |   |     |   | • |   | • | • | • | • | • | • | • | • |   | • | • | į | ii |
| List of | Figures     |      |     |     |   | • | • |   |     | • | • |   |   |   | • |   |   |   |   |   |   |   | • | • | iv |
| List of | Tables      |      |     |     |   |   | • |   |     | • | • |   |   | • |   |   | • |   | • |   |   | • |   |   | iv |
| I.      | Introductio | n.   |     |     | • |   |   |   |     |   |   | • |   | • |   | • |   |   |   |   |   | • |   |   | 1  |
| II.     | Experimenta | 1 .  |     |     |   |   | • |   |     |   | • | • | • |   | • | • |   |   |   |   |   | • | • |   | 2  |
| III.    | Results and | Disc | uss | ion | • |   |   |   |     |   | • | • | • | • | • | • | • |   | • |   |   | • | • | • | 2  |
| IV.     | Conclusion  |      |     |     | • |   | • | • |     | ٠ |   | • | • |   | • | • |   | • | • | • |   | • | • | • | 10 |
| v.      | References  |      |     |     |   |   |   |   |     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 12 |



### ABSTRACT

when trinitrotoluene (TNT) is thermally decomposed, an observable radical signal is detected after several minutes at 240° C. Addition of hexamethylbenzene (HMB) has been found to greatly reduce the temperature at which radicals may be observed (175° C or lower) and produce a radical signal which seems to be free of the polymeric species observed in the latter stages of TNT decomposition. Mixtures of TNT and HMB (.05 to .95 mole fraction of TNT) were thermally decomposed at 175° C to obtain a better identification of the radical species present in the early stages of TNT decomposition. Radical signals are observed which result from at least two species. The experimental spectra are correlated with simulated spectra of radicals derived from TNT and HMB. The relative rates of reaction and the form of the kinetic profile are dependent on the mole fraction of TNT.

### PREFACE

This report describes work performed under FJSRL Work Unit 2303-F3-05
Chemical Structure/Bonding Relationships. C. Y. Kruit was a temporary
physical sciences technician at FJSRL, R. D. Murphy was a SCREE summer fellow
working at FJSRL, W. R. Carper was an NRC working at FJSRL, S. R. Bosco was a
staff member at FJSRL, and J. T. Swanson is a permanent staff member at FJSRL.

### LIST OF FIGURES

- Figure 1. Decomposition of .05 Mole Fraction TNT in HMB.
- Figure 2. Decomposition of .95 Mole Fraction TNT in HMB.
- Figure 3. Spectrum of Radical Intermediate: .05 Mole Fraction TNT.
- Figure 4. Spectrum of Radical Intermediate: .95 Mole Fraction TNT.
- Figure 5. Fit of Decomposition of .05 Mole Fraction TNT.
- Figure 6. Fit of Decomposition of .95 Mole Fraction TNT.
- Figure 7. Fit of Decomposition of .90 Mole Fraction TNT.
- Figure 8. Decomposition of .95 Mole Fraction TNT.
- Figure 9. Possible Intermediates in TNT/HMB Decomposition.

### LIST OF TABLES

- Table 1. Possible Radical Production Terms.
- Table 2. Rate Constants for TNT/HMB Decomposition.

### I. INTRODUCTION

The thermal decomposition of 2,4,6-trinitrotoluene (TNT) and related explosives is a research area which has been investigated for a number of years. The research has been directed toward two major concerns: the safe handling and storage of energetic materials and the systematic design of more stable and more energetic materials. TNT is known to decompose either thermally or photochemically. 1,2 The decomposition products accelerate the rate of further decomposition. A number of other compounds, such as hexamethylbenzene (HME) or tetralin are also known to accelerate the decomposition of TNT. Addition of KMB will result in TNT radical signals in the EPR at temperatures of 175° or lower, where no signal is observed for neat TNT. A potential problem is present when explosives are subjected to heat. such as during storage, or when carried aboard aircraft. Another problem occurs because modern ordnance, especially solid fuel motors, require the use of increasingly energetic materials such as HMX and RDX, which are considerably less stable, to shock, for example, than TNT. The first steps in decomposition appear to be the same as those in explosion or combustion. The deuterium isotope effect for HMX is the same, whether measured at relatively low temperatures by differential scanning calorimetry (DSC) or by recording relative burn rates of deuterated and undeuterated samples. Shock induced initiation can be accounted for in terms of thermal explosion theory using global reaction rates determined from slow thermal decomposition studies such as DSC. 3b

Early EPR investigations of the thermal decomposition of TNT showed at least two radical species are present during the decomposition. The "early" radical possesses considerable fine structure and is believed to result from trapping of benzyl radical by a nitro group in TNT. The "late" radical shows only a broad singlet and is believed to be a polymeric species. The early radical initially grows in with a zero order rate. The spectrum at later times is dominated by the polymeric species growing in with a first order rate.

When HMB is mixed with TNT, a yellow solid, presumably a charge transfer complex, is obtained. The solid can be decomposed as low as 175°C or lower

(just above the melting point of HMB) to produce at least two radical species possessing considerable fine structure. This paper presents the initial results from an investigation of these TNT/HMB mixtures, as a model of explosive binder interaction. The aims are to identify the species present early in the reaction melchanism, where one might reasonably hope to affect stabilization of the compound and to identify the properties of a binder which are likely to lead to sensitization of the resulting explosive/binder material.

### II. EXPERIMENTAL

TNT in HMB at mole fractions of .05, .10, .20, .80, .90 and .95 were decomposed in a  $TE_{102}$  cavity of a Varian E-109 EPR spectrometer operating in the X band. Samples were heated by a stream of nitrogen gas to 175°C. The temperature of the cavity was maintained to within  $\pm$ .5°C as measured by a Doric Trendicator. Spectra were recorded on a MINC 11/23 with locally written software.

### III. RESULTS AND DISCUSSION

Two major trends can be observed in the data. First, the kinetic plots of TNT in HMB (Figures 1 and 2) show the kinetics are not simple zero order. Rather, the shape of the kinetic plot is a function of the TNT/HMB ratio. Secondly, spectra (Figures 3 and 4), show at least two species are present whose relative concentration depends on the TNT/HMB ratio. The two results will be discussed in turn.

### A. Kinetics

The kinetics were determined from the magnitude of the most prominent peak in the EPR spectrum. The actual mechanism for the decomposition of TNT has not been established. The main features of the mechanism involve formation of benzyl radical, coupling of this radical with a nitro group on the aromatic ring, and further reaction of this species to form polymeric materials. The purpose of doing the kinetic fit is to determine the intensity of the radical species, R, which produces the predominant lines in the ESR spectrum, as a function of time. Since the mechanism is not known, we have chosen to fit the




fig 1. Decomposition of .05 Mole Fraction TNT in HMB






fig 2. Decomposition of .95 Mole Fraction TNT in HMB



tio 3. Spactrum of Radical Intermediate: .05 Mole Fraction THT



fla 4. Spectrum of Radical Intermediate: .95 Mole Fraction TNT

kinetics with a production term Q(t), minus the rate of loss of R, assumed to be k[R] (Equation 1).

$$\frac{d[R]}{dt} = Q(t) - k[R]$$
 (1)

The simplified partial mechanism is shown in scheme 1.

Scheme 1. Decomposition of TNT in HMB

TNT is decomposed through an indeterminant number of steps to a radical R. In theory, radical R\* could be formed directly from TNT. It may however also be formed later in the reaction from some intermediate species B. Scheme 1 shows this most general case. The observed radical then reacts to form the product polymer P with rate constant k. Several different production terms were considered for radical R. As a preliminary investigation production terms were chosen which made chemical sense and for which the rate equation had a closed solution. These terms are listed in Table 1.

Table 1. Possible Radical Production terms

- (a) Q(t) = constant
- (b)  $Q(t) = N_0 e^{-bt}$
- (c)  $Q(t) = N_0 e^{-bt} + C$
- (d)  $Q(t) = c[1 e^{-bt}] + A[e^{-dt} e^{-bt}]$

Equation (a) assumes a steady state production, for example first order production directly from TNT where the conversion is low. Equation (b) assumes the rate of radical production drops off with time, for example, first order production from TNT where conversion is high. In this case b would be the rate constant for the loss of TNT. Equation (c) assumes the rate of production falls off to a steady state value, rather than to zero. Equation (d) assumes the rate is initially zero, rises to a maximum, and then falls to




fig 6. Fit of Decomposition of .05 Mole Fraction TNT




fig 6. Fit of Decomposition of .95 Mole Fraction TNT

a constant value. This type of rate behavior could arise only if radical R is formed from some earlier radical (B).

For low mole fraction of TNT, setting Q(t) = constant is a sufficiently good fit for the kinetics. However,  $Q(t) = N_0 e^{-bt} + C$  is necessary to fit the kinetics of the high mole fraction of TNT. Making the assumption that the rate law remains the same as the mole fraction of TNT in the sample is changed, one can fit all the data using production term (c) and setting the rate constants b and k equal. Thus, the rate of production and loss of radical R will be about equal and steady-state conditions (as observed) will apply. The fits for two mole fractions of TNT are shown in Figures 5 and 6. The rate constants derived and the fit to various overall rate equations are shown in Table 2.

Table 2. Rate Constants for TNT/HMB Decomposition.

| Mole Fraction TNT | Rate Constant | k/[TNT] <sup>2</sup> [HMB] | k/[TNT][HMB] | k/[TNT][HMB] <sup>2</sup> |  |  |  |  |  |
|-------------------|---------------|----------------------------|--------------|---------------------------|--|--|--|--|--|
| . 05              | .0065         | 2.74                       | .137         | .144                      |  |  |  |  |  |
| .10               | .01           | 1.11                       | .111         | .123                      |  |  |  |  |  |
| . 20              | .017          | 5.35                       | .107         | .133                      |  |  |  |  |  |
| .80               | .30           | 2.34                       | 1.872        | 9.38                      |  |  |  |  |  |
| . 90              | .185          | 2.28                       | 2.052        | 20.56                     |  |  |  |  |  |
| . 95              | . 15          | 3.32                       | 3.154        | 63.16                     |  |  |  |  |  |

The results seem to indicate that the rate is not simply first order in TNT and HMB i.e. rate = k [TNT][HMB]. The best fit assuming a single mechanism is rate = k [TNT] [HMB]. This might imply the reaction involves a charge transfer complex of TNT and HMB which then reacts with TNT to start the reaction. As the charge transfer complex is likely to be more reactive, the reaction should occur at lower temperature. The data indicates the mechanism could also involve two TNTs at high mole fraction of TNT and two HMBs at high mole fraction of HMB. This possibility will be discussed in more detail in the section on the analysis of the spectra.




fig 7. Fit of Decomposition of .90 Mole Fraction TNT




fig 8. Decomposition of .95 Mole Fraction TNT

We have just begun trying to fit the kinetics to production term (d). Close examination of the high mole fraction TNT curves show that the slope at the beginning of the reaction has the opposite curvature to that given by fit (c). Using term (d) corrects the problem (Figure 7). Because of the large number of parameters, determining a best fit is somewhat difficult. This fit supports the postulate that the first radical seen in the EPR is not the first formed radical. Rather an earlier radical(s) is formed which reacts to form the more stable radical observed by EPR.

One of the primary problems involved in these kinetics is the presumed sensitivity of the kinetics to small impurities. The radical concentrations of 10<sup>-6</sup>M can be observed by EPR and so small impurities can result in large rate changes. However, the shapes of the kinetic curves are consistent for a particular mole fraction of TNT. One reason the radical signal may not be falling to zero is contamination due to formation of the polymeric species. Evidence for this comes from some runs where the polymer signal began appearing at the end of the run (Figure 8).

### B. Spectra

The spectra derived from the TNT/HMB mixtures clearly indicate a number of different species present. The asymmetry of the overall spectra tends to indicate two or more overlapping species with slightly different g values. A comparison of the spectra obtained at different mole fractions of TNT provides evidence for two species whose relative abundance depends on the mole fraction of TNT. One possibility is that one of the radicals is produced from one TNT and one HMB, the other from two TNTs. Several types of evidence support this postulate. First, the relative amounts of the species change with mole fraction. With just a trace of HMB, the spectrum resembles pure TNT, but the reaction proceeds more rapidly. The total intensity of the spectrum is much higher in the mixtures with high mole fraction of TNT, indicating it is important in forming the radical. Also, each spectrum contains a five line pattern with coupling of 11 G. This pattern almost certainly requires a nitrogen coupling. The overall intensity pattern is best fit by one nitrogen and two hydrogens, each with 11 G coupling constants.

The spectra themselves are difficult to fit and several possibilities have been considered. The radical predominant when TNT is in large excess over HMB consists of a five line pattern with a coupling of 11 G. Within this pattern is some further hyperfine splitting into five lines with a coupling constant of 2.6 G. One possible interpretation of this pattern is one nitrogen and two hydrogens each with a coupling constant of 11 G and four hydrogens with a coupling constant of 2.6 G. A possible structure is shown in Figure 9a.

The para nitrobenzyl radical, however, has been shown to be difficult to produce. The second radical, in about equal concentrations with the first at high HMB mole fractions, also shows a five line pattern with coupling of about 11 G. No further fine structure can be identified. Because of this pattern, this radical also appears to result from TNT, perhaps also having 1 N and two large H coupling constants. The benzyl type radical expected from HMB would only show two lines and may be buried under the spectra of other species. Simulation fo the spectra using the above coupling constants (Figure 10) shows the correct general trend in peak heights and shapes, but insufficient splitting.

Another possibility is that the species present are very similiar to the species believed present in neat TNT. For example, the two species might be of the type shown in Figure 9b, where the benzyl mosity could be due either to TNT or HMB. The simulation for this species is shown in Figure 11. The best fit found so far is for one species obtained from 1N = 11 G, 2H = 11 G, 2H = 11 G, and 2H = 2.7 G. Nitrobenzene radical anion has a nitrogen coupling constant of  $a_N = 10.3$  G and for the hydrogens  $\sigma_N = 3.5$  G,  $\sigma_N = 1.1$  G, and  $\sigma_N = 3.967$ . Phenyl benzyl nitroxide has  $\sigma_N = 9.5$  G,  $\sigma_N = 2.6$  G, and  $\sigma_N = 3.967$ . The first of these species is the same as that postulated in the decomposition of neat TNT. It is difficult to assign a structure for the second.

### IV. CONCLUSION

The results of these preliminary measurements indicated several trends. First, the first observed radical does not appear to be the first radical formed, based on the kinetics. Secondly, while HMB and TNT both seem to be

important in the initiation of the mechanism, the EPR spectra indicate TNT is a constituent of all the radicals observed. Thus, TNT appears crucial in the propagation of the reaction. One possibility is that the TNT/HMB charge transfer complex initiates the formation of radicals, which are then consumed to form EPR observable species through propagation steps with TNT. These initial studies suggest the need for more detailed analysis, which will be accomplished as computational facilities become available.

These results also show that in propellants or explosives which are mixtures of several components, thermal decomposition and degradation may become a major problem. Addition of additives to TNT such as hydroxide or quinone have been shown to result in decreased thermal stability and increased sensitivity to shock. Understanding the detailed mechanism of these processes will hopefully allow the facets of the chemical structure which lead to degradation to be designed out, without affecting the energetic performance of the compound.

### V. REFERENCES

- 1. a. J. W. Beckman, J. S. Wilkes, and R. R. McGuire, <u>Thermochimica Acta</u>, <u>19</u>, 11 (1977).
- b. S. A. Shackelford, J. W. Beckman, and J. S. Wilkes, <u>J. Org. Chem.</u>, <u>42</u>, 4201 (1977).
- 2. L. P. Davis, J. S. Wilkes, H. L. Pugh, and R. C. Dorey, <u>J. Phys. Chem.</u>, 85, 3505 (1981).
- 3. a. S. A. Shackelford, et al., submitted for publication, J. Phys. Chem.
- b. F. J. Owens, unpublished results, J. A. Robertson, <u>Trans. Faraday</u> <u>Soc.</u>, <u>44</u>, 977 (1948).
- 4. R. M. Guidry and L. P. Davis, Thermochimca Acta, 32, 1 (1979).
- 5. J. T. Swanson, L. P. Davis, R. C. Dorey, and W. R. Carper, submitted for publication, Mag. Reson. in Chem.
- 6. S. Dinctürk, R. A. Jackson, M. Townson, H. Agirbas, W. C. Billingham, G. March, J. C. S. Perkin II, 1121 (1981).
- 7. P. Neta and D. Meisel, J. Phys. Chem., 80, 519 (1976).
- 8. S. K. Wong, and J. K. S. Wan, Can. J. Chem., 51, 753 (1973).
- 9. C. Capellos and S. Iyer, Fast Reactions in Energetic Systems: Proceedings of the NATO Advanced Study Institute, Preveta, Greece, 6-19 July 1980, pp. 401-418.